

Material Safety Data Sheet

1. Product & Company Identification

Product name:	Lithium Manganese-Dioxide Battery, non-rechargeable
---------------	---

BN	Size	Nominal Voltage	Capacity	Energy content	Lithium content
2525768	CR2032	3 V	220 mAh	0.66 Wh	0.065 g
2525769	CR2025	3 V	160 mAh	0.48 Wh	0.048 g
2525770	CR2016	3 V	80 mAh	0.24 Wh	0.025 g
2525874	CR2032	3 V	220 mAh	0.66 Wh	0.065 g
2525875	CR2016	3 V	80 mAh	0.24 Wh	0.025 g
2525876	CR2025	3 V	160 mAh	0.48 Wh	0.048 g
2525878	CR2032	3 V	220 mAh	0.66 Wh	0.065 g
2542832	CR2450	3 V	580 mAh	1.74 Wh	0.165 g
2542838	CR2025	3 V	140 mAh	0.42 Wh	0.048 g
2542842	CR1620	3 V	70 mAh	0.21 Wh	0.030 g
2542843	CR2430	3 V	290 mAh	0.87 Wh	0.090 g
2616756	CR1220	3 V	40 mAh	0.12 Wh	0.012 g

Manufacturer:	Conrad Electronic SE	
Address:	Klaus-Conrad-Str. 1, D-92240 Hirschau	
Telephone:	+49 (0) 9604 / 40 - 8988	
Date of issue:	01.01.2022	

2. Composition/Information on Ingredients

Component	CAS#	Content (% by weight)
Manganese Dioxide	1313-13-9	15 - 40
Propylene Carbonate	108-32-7	2 - 6
1,2-Dimethoxyethane	110-71-4	1 - 5
Lithium Perchlorate	7791-03-9	0 - 1.5
Lithium or Lithium Alloy	7439-93-2	1 - 5
Graphite	7782-42-5	1 - 4



Material Safety Data Sheet

3. Hazards Identification

This battery contains lithium, organic solvent, and other combustible materials. For this reason, improper handling of the battery could lead to distortion, leakage*, overheating, explosion ,or fire and cause human injury or equipment trouble. Please strictly observe safety instructions. (*leakage is defined as an unintended escape of liquid from a battery.)

4. First Aid Measures

None unless internal materials are exposed.

Inhalation

Fumes can cause respiratory irritation. Remove to fresh air and consult a physician.

Skin

Immediately flush skin with plenty of water. If itch or irritation by chemical burn persists, consult a physician.

Eyes

Immediately flush eye with plenty of water for at least 15 minutes. Consult a physician immediately

Ingestion

If swallowing a battery, consult a physician immediately. If contents come into mouth, immediately rinse by plenty of water and consult a physician.

5. Fire Fighting Measures

Extinguishing Media

Fire extinguisher: Carbon dioxide; fire foam; dry sand; water spray and powder etc.

6. Accidental Release Measures

Not applicable.

7. Handling and Storage

Handling

Never swallow. Never charge. Never heat. Never expose to open flame. Never disassemble. Never reverse the positive and negative terminals when mounting. Never short-circuit the battery. Never weld the terminal or wire to the body of the battery directly. Never use different batteries together. Never touch the liquid leaked out of battery. Never bring fire close to battery liquid. Keep away from children.

Storage

Never let the battery contact with water. Never store the battery in hot and high humid place.



Material Safety Data Sheet

8. Exposure Controls, Personal Protection

Respiratory Protection Not applicable Ventilation Local Exhaust Not applicable Mechanical Not applicable Special Not applicable Other Not applicable Eye Protection Not applicable Protective Glove Not applicable Other protective clothing Not applicable

9. Physical/Chemical Characteristics

Nominal voltage: 3.0 V

10. Stability and Reactivity

Stability Stable Incompatibility Water

Hazardous polymerization Will not occur

Condition to avoid See section 7.

Hazardous Decomposition or Byproducts Hydrogen

11. Toxicological Information

Not applicable

12. Ecological Information

Not applicable

13. Disposal condition

The battery may be regulated by national or local regulation. Please follow the instructions of proper regulation. As electric capacity is left in a discarded battery and it comes into contact with other metals, it could lead to distortion, leakage, overheating, or explosion, so make sure to cover the (+)and (-) terminals with friction tape or some other insulator before disposal.



Material Safety Data Sheet

14. Transportation Information

- 1. The Battery must be of a design type proven to meet testing requirements as per Manual of test and criteria, Part III, subsection 38.3.
- 2. Battery, according to Section IB of PACKING INSTRUCTION 968 of the 2022 IATA Dangerous Goods Regulations 63rd Edition, may be transported/applicable to U.S D.O.T regulations for the safe transport of Lithium Battery.
- 3. Battery to be protected to prevent short circuit. This includes protection against contact with conductive materials within the same packaging that could lead to short circuit.
- 4. Cells and batteries, offered for transport, must be packed in inner packaging that completely enclose the cell or battery; To provide protection form damage or compression of the batteries, the inner packaging must be placed in a strong rigid outer packaging.
- 5. The packaging shall be adequate to avoid mechanical damage during transport, handling, and stacking & Stock on shelves. The material and pack design shall be chosen to prevent the development of unintentional electrical conduction, corrosion of the terminals and ingress of moisture.
- 6. The package must be handled with care as a flammability hazard exists if the package is damaged.
- 7. Regarding transport, the following regulations are cited and considered
- -The International Civil Aviation Organization (ICAO)Technical Instructions.
- -The International Air Transport Association (IATA) Dangerous Goods Regulations.
- 8. UN Number lithium metal batteries (UN3090)

lithium metal batteries packed with equipment (UN3091

lithium metal batteries contained in equipment (UN3091)

UN Proper shipping name /Description (technical name): Lithium Primary/Metal batteries

Marine pollutant (Y/N): Y

Special Provision:

- International maritime dangerous goods code (IMDG) 188,230,310,348,957;
- The US Hazardous Materials Regulation (HMR) pursuant to a final rule issued by RSPA.
- The Office of Hazardous Materials Safety within the US Department of Transportation's (DOT) Research and Special Programs Administration (RSPA)

15. Regulatory Information

OSHA hazard communica	ation standard (29 CFR 1910.1200
Hazardous	√ Non-hazardous

16. Other Information

If you want further information, please contact us.