

FLEX-Elektrowerkzeuge GmbH
Bahnhofstraße 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

1600 watt wet stone polisher with GFCI circuit breaker, 130 mm

LW 1202 SN, PRCD

Order number 477.788



Technical attributes

Max. polishing pad diameter	130 mm
No load speed	1750 rpm
Power input	1600 watt
Power output	1030 watt
Tool fixture	M 14
Cable length	4,0 m
Size (W x L x H)	550 x 150 x 190 mm
Weight	4,8 kg

Standard equipment


1 bail handle	258.639
1 open-ended wrench SW 17	106.461

1600 watt wet stone polisher with GFCI circuit breaker, 130 mm

- + Central water supply through gear shaft: for wet polishing of granite and marble
- + Ceramic-coated transmission shaft for optimum wear and rust protection
- + Quick-fit brass coupling: for 1/2" water hose
- + GFCI operator protector circuit breaker: integrated in cord
- + For portable use without an isolating transformer

Accessories

Dia-Jet velcro diamond discs wet (single)



Technical attributes

Dimensions in mm	Grit	colour	QTY/PKG	Order number
100 Ø	grit 50	blue	1	253.815
100 Ø	grit 100	yellow	1	253.816
100 Ø	grit 200	orange	1	253.817
100 Ø	grit 400	red	1	253.818
100 Ø	grit 800	green	1	253.819
100 Ø	grit 1500	light blue	1	253.820
100 Ø	grit 3000	brown	1	253.821
100 Ø	grit 10000	white	1	253.822

For grinding and polishing: Suitable for artificial stone, natural stone, stoneware and ceramics. The grinding output of the diamond discs is higher than that of traditional abrasives, they have a very long service life and high mechanical resilience.

Dia-Jet velcro diamond discs wet in a set

Order number 253.823



Technical attributes

Dimensions in mm	100 Ø
Grit	grit 100 - 1500
QTY/PKG	5

Set with 5 grains. For grinding and polishing.

Velcro pad, soft

Order number 253.814



Technical attributes

Dimensions in mm	100 Ø
QTY/PKG	1

For secure attachment of the velcro diamond discs. M 14 connection.

FLEX-Elektrowerkzeuge GmbH
Bahnhofstraße 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Accessories

Adapter plate

Order number 126.098



For grinding rings with quick-action coupling. Thread M14. With rubber cushioning.

Technical attributes

Dimensions in mm	100 Ø
QTY/PKG	1

Grinding rings



For plastic quick-action coupling backing pads, Order no. 126.098

Technical attributes

Dimensions in mm	Grit	QTY/PKG	Order number
100 Ø	F 30	1	126.144
100 Ø	F 60	1	126.152
100 Ø	F 120	1	126.160